

Web Development Level 2

Kick your CSS skills up a notch by learning how to code more complex and visually interesting layouts. In this CSS training, you'll learn about vector graphics (SVG), CSS variables, styling gradients, shadows, positioning, CSS animated transitions, transforms, responsive images, and much more.

Group classes in NYC and onsite training is available for this course. For more information, email class@programwithus.com or visit: <https://www.programwithus.com/classes/web-development-level2>



class@programwithus.com •

[1-212-226-0884](tel:1-212-226-0884)

Course Outline

Section 1

Normalize.css, Default Box Model, & More

- Using normalize.css
- Grouping CSS selectors using a comma separator
- Fluid, hi-res images
- Constraining the width of content
- Visualizing the box model (margin, padding, and border) in Chrome's DevTools
- Fixing spacing issues around images
- CSS shorthand for the background property

Font-Weight, Font-Style, & Unitless Line-Height

- Adding custom web fonts from Google Fonts
- Using font-weight & font-style
- Unitless line-height

Box Model: Content-Box vs. Border-Box

- How border-box is different than content-box
- Best practice for applying border-box to everything

Intro to SVG (Scalable Vector Graphics)

- Adding SVG to a webpage
- Sizing SVG
- Web Servers: Configuring a .htaccess file for SVG & gzip

Section 2

Embedding SVG

- Embedding SVG (instead of linking)
- Styling SVG using CSS
- Using `currentColor`

SVG Sprites

- Defining the SVG sprite
- Using a sprite
- Styling sprites

CSS Position Property

- The static value & the normal document flow
- The relative value
- The absolute value
- The dynamic duo: relative parent, absolute child
- The fixed value

Creating a Fixed Navbar & RGBA Color

- Creating a fixed navbar on wider screens
- RGBA color

Section 3

CSS Background Gradients & Gradient Patterns

- CSS background gradients
- Creating a striped background using gradients

Multiple Backgrounds & Viewport Sizing Units (vw)

- Multiple backgrounds on a single element
- Colorizing a photo by overlaying a transparent gradient
- Using viewport sizing units (vw)

Creating Columns with Inline-Block & Calc()

- Displaying content as columns using inline-block
- Using CSS `calc()`

CSS Variables (Custom Properties)

- Defining & using CSS variables
- The power of inheritance

Section 4

Relational Selectors

- Adjacent selectors
- Using first-child & last-child
- Using first-of-type
- Using nth-child
- Direct child/descendant selectors

Pseudo-Elements & the Content Property

- Using pseudo-elements
- The content property
- Seeing pseudo-elements in Chrome's DevTools

Attribute Selectors

- Adding link icons with attribute selectors
- "Ends with" attribute selector
- "Begins with" attribute selector
- "Contains" attribute selector

Styling Forms with Attribute Selectors

- Styling form elements
- Targeting inputs with attribute selectors
- The ::placeholder pseudo element

Relative Sizes: Em and Rem

- Em units
- Rem units

Section 5

Flix: Creating a Scrollable Area

- Creating a horizontal scrollable area
- Optimizing the scrolling for iOS touch devices

Flix: Media Queries for Retina/HiDPI Graphics

Using media queries to load hi-res images for Retina/HiDPI displays

Responsive Images

- Img srcset
- The picture element

Off-Screen Side Nav Using Only CSS

- Responsive off-screen navigation
- Toggling the navigation with a checkbox
- CSS transitions

Section 6

Box-Shadow, Text-Shadow, & Z-Index

- Using the CSS box-shadow property
- Changing an element's default stack order with position and z-index
- Inset shadows
- Adding drop shadows to text with CSS text-shadow
- Layering multiple text-shadows for a detached outline effect

Hiding & Showing: Display, Visibility, & Opacity

- Removing an element from the normal document flow with display: none

- Hiding/showing elements with visibility
- Hiding/showing elements with opacity
- How display, visibility, & opacity differ

CSS Transitions

- Transition-property & transition-duration
- Transition shorthand & the all keyword
- Transitioning position coordinates
- Adding easing with transition-timing-function
- Custom easing with Ceaser

CSS Transforms with Transitions

- Testing transforms using the DevTools
- Adding a scale transform & transitioning it
- Transform origin
- Rotate & skew transforms
- Using the translate transform to nudge elements